



# MEDICAL EQUIPMENT



# Nitrile Gloves



Medical Use

## Style Guide



Normativity: **UNE EN ISO 374:2016 / 455:2015 / CE/FDA Certificate**

### Technical specification

- Sizes: XS, S, M, L, XL
- 75 GSM (1mm)
- Length: 240mm +/- 5mm
- Cuff Thickness: 0.05 mm
- Thickness: 0.08mm minimum
- Palm Thickness: 0.06mm
- Finger Thickness: 0.07mm
- Medical Grade: AQL 2.5
- Weight: Medium after tumbling 3.5 gram / PC's

### Origin

- China
- Vietnam
- Malaysia
- Thailand
- Pakistan

### Packaging

1 box contains 100 pieces

# Nitrile Gloves

Industrial Use

## Style Guide



Normativity: **CE/FDA Certificate / EN 420:2003+A1:2009**

### Technical specification

- Sizes: XS, S, M, L, XL
- 75 GSM (1 MM)
- Length: 240mm +/- 5mm
- Cuff Thickness: 0.05mm
- Thickness: 0.08mm minimum
- Palm Thickness: 0.06mm
- Finger Thickness: 0.07mm
- Medical Grade: AQL 2.5
- Weight: Medium after tumbling 3.5 gram / PC's

### Origin

- China
- Vietnam
- Malaysia
- Thailand
- Pakistan

### Packaging

1 box contains 100 pieces

# Vinyl Gloves



Medical Use

## Style Guide



Normativity: **UNE EN ISO 374:2016 / 455:2015 / CE/FDA Certificate**

### Technical specification

Sizes: XS, S, M, L, XL

Non-risky material handling

Design: Anatomic

Cuff: Beaded

Fit: Flexible

Short duration and low risk tasks

Antistatic properties

### Origin

China

Vietnam

Malaysia

Thailand

Pakistan

### Packaging

1 box contains 100 pieces

# Vinyl Gloves

Industrial Use

## Style Guide



Normativity: **CE/FDA Certificate / EN 420:2003+A1: 2009**

### Technical specification

Sizes: XS, S, M, L, XL

Non-risky material handling

Design: Anatomic

Cuff: Beaded

Fit: Flexible

Short duration and low risk tasks

Antistatic properties

### Origin

China

Vietnam

Malaysia

Thailand

Pakistan

### Packaging

1 box contains 100 pieces

# Latex Gloves



## Style Guide



Normativity: ISO 9001: 2015, ISO 14001: 2015 & EN ISO 13485: 2016

### Technical specification

Sizes: XS, S, M, L, XL  
 Material: Natural Rubber Latex  
 Impermeability: 100% Inspected  
 Design: Anatomic  
 Cuff: Beaded  
 Finish: Micro Rough  
 Powder Content: < 15 mg/dm<sup>2</sup>, Non powdered available  
 Extractable Protein Level: < 200mcg/dm<sup>2</sup>

### Origin

China  
 India

### Packaging


1 box contains 100 pieces

**100% of benefits goes to a construction of orphanage in India**

**Exclusivity Distributor Hebany**

# Kids Mask

## Style Guide



Normativity: EU 2017/745 & EN-14683:2019+2019

### Technical specification

3 layers  
 Fluid Resistance: 120mmHg  
 Filtration – BFE: >= 99  
 Filtration – PFE: >= 99  
 Delta P: >= 3.2  
 Flammability: Class 1  
 Delta P (mm H<sub>2</sub>O/Δ<sup>2</sup>): Less than 5

### Origin

China  
 Vietnam  
 India

### Packaging

1 box contains 50 pieces  
 1 pallet contains 30 cartons  
 1 pallet contains 1200 boxes

**100% latex and fiberglass free product**




# Surgical Mask



II R

## Style Guide



Normativity: **EN 14683:2019 / EN 149:2001+A1:2009 / CE / FDA Certificate**

### Technical specification

3 layers  
 Fluid Resistance: 120mmHg  
 Filtration – BFE:  $\geq 99$   
 Filtration – PFE:  $\geq 99$   
 Delta P:  $\geq 3.2$   
 Flammability: Class 1  
 Delta P (mm H<sub>2</sub>O/ $\Delta^2$ ): Less than 5

### Origin

China  
 Vietnam  
 India

### Packaging

1 box contains 50 pieces

Code	Size	Dimention	Tolerance
A	Length	17.5cm	+ - 0.25
B	Width	9.5cm	+ - 0.25
C	Nose Clip	11cm	+ - 0.25

# Hygienic Mask

## Style Guide



Normativity: **EN 149:2001+A1:2009 / CE / FDA Certificate**

### Technical specification

3 layers  
 Fluid Resistance: 120mmHg  
 Filtration – BFE:  $\geq 99$   
 Filtration – PFE:  $\geq 99$   
 Delta P:  $\geq 3.2$   
 Flammability: Class 1  
 Delta P (mm H<sub>2</sub>O/ $\Delta^2$ ): Less than 5

### Origin

China  
 Vietnam  
 India

### Packaging


1 box contains 50 pieces

Code	Size	Dimention	Tolerance
A	Length	17.5cm	+ - 0.25
B	Width	9.5cm	+ - 0.25
C	Nose Clip	11cm	+ - 0.25

# FFP1 Mask



## Style Guide



Normativity: **EN 149:2001 + A1:2009 / CE/FDA Certificate**

### Technical specification

Efficiency: 80%  
Adjustable nose tip to offer a better fit  
Soft, comfortable, breathable  
Adjustable head bands for a secure facial seal  
High filter material  
Particle filtering half mask

### Origin


China

### Packaging

1 box contains 50 pieces

# FFP2 Mask

## Style Guide



Normativity: **UNE - EN 149:2001 CE/FDA Certificate**

### Technical specification

Efficiency: 95% - 99.9%  
High filtration capacity  
Soft, comfortable, breathable  
Weight: 2.9-3.2g/pc  
Non-woven PP micro fiber melt blown  
Plastic nose wire  
Flat pleated mask two single elastic head strap

### Origin

China  
Vietnam  
India  
USA

### Packaging

1 box contains 50 pieces  
1 carton contains 600 pieces  
20 pallet contains 12000 pieces

# Reusable Mask

Cotton

## Style Guide



Normativity: **UNE 0065 - 2020**

### Technical specification

2 functional layers  
 Maximum fit contour design to face  
 Two sided embroidery  
 Mask washable at least 50 times  
 50% polyester exterior and 50% cotton  
 Adjustable skull rubbers double system  
 100% cotton interior

### Origin

China  
 Vietnam  
 India

### Packaging

1 box contains 12 pieces

# Reusable Mask

Personalized Mask

## Style Guide



Normativity: **UNE 0065 - 2020**

### Technical specification

2 functional layers  
 Maximum fit contour design to face  
 Two sided embroidery  
 Mask washable at least 50 times  
 50% polyester exterior and 50% cotton  
 Adjustable skull rubbers double system  
 100% cotton interior

### Origin

China  
 Vietnam  
 India

### Packaging

1 box contains 12 pieces

# Protection Mask PRO XS2



EPI CAT. III

## Style Guide



## Normativity:

EN 149:2001+A1:2001+A1:2010, 2016 / 425 EU PPE / CE / EPI / CATT. III / FFP2 NR

## Technical specification

5 layers  
Maximum fit contour design to face  
Anti-breakage harness  
High durable heat-sealing  
Adjustable anti-slip nose clip  
Adjustable skull rubbers double system  
Optimal filtration material 94%

## Origin

Spain

## Packaging

1 box contains 10 pieces

# Protection Mask PRO X3

EPI CAT. III

## Style Guide



## Normativity:

EN 149:2001+A1:2001+A1:2010, 2016 / 425 EU PPE / CE / EPI / CATT. III / FFP2 NR

## Technical specification

6 layers  
Maximum fit contour design to face  
Anti-breakage harness  
Easy breath ability valve, flow down  
Adjustable anti-slip nose clip  
Adjustable skull rubbers double system  
Optimal filtration material 99%

## Origin

Spain

## Packaging

1 box contains 50 pieces



# Disposable Full Body Suit



**SECURITY LEVEL 3**

**SECURITY LEVEL 5**

**SECURITY LEVEL 6**

Level 3 Normativity: **EN 14126:2003/AC:2004/ EN 13795-1:2019 /CE/FD Certificate**

Level 5 Normativity: **EN 13034:2005 / EN ISO 13982-1:2004 / CE/FDA Certificate**

Level 6 Normativity: **CE**

**Technical specification**


- Material: polyethylene / polypropylene
- Micro porous fabric
- Elastic in the cuffs, ankles and hood to improve their fit
- Zipper to the front
- Protection in general uses
- Comfortable and permeable
- Protect against grease, dust, aerosols and liquids

**Origin**

- China
- India

**Packaging**

1 box contains 25 pieces



# Surgical Gowns



- Level 3
- Level 2
- Level 1

Style Guide



Level 3 Normativity: **EN13795:2020 / EN13485:2016**

Level 2 Normativity: **EN13795:2020**

Level 1 Normativity: **EN13795:2020**

**Technical specification**

Material: SMS Non-Woven 45 – 50gms / ANSI AAMI PB70  
 EO Sterile  
 Long sleeves  
 Polyester cuffs  
 Dimensions: 120cm long, 65cm wide  
 Back ties in the neck and waist

**Origin**

China  
 India

# Round Polypropylene Cap



14 gr PP hat, presented in a flat round format and elastic adjustment. Measures 21" diameter. Packed in 10 bags of 100 units. Total 1,000 caps / box



Ref	Color	Barcode
67410	White	EAN: 8 436045 02514 2
67411	Blue	EAN: 8 436045 02515 9
67430	Green	EAN: 8 436045 02516 6
67440	Red	EAN: 8 436045 02538 8
67450	Yellow	EAN: 8 436045 02570 8

# Surgeon Cap (Individual Cap)



# Turp Drape

**Sterile and non sterile**



## Polypropylene gowns 25 gr

Polypropylene (PP) gown 25gr 5 velcro closure, shirt collar  
Measures 112x138 cm. Individually packed.  
1 box contains 50 gowns

Ref	Color	Barcode
65402	White	EAN: 8 436045 02549 4
65403	Blue	EAN: 8 436045 02502 9
65405	Green	EAN: 8 436045 02503 6
65407	Red	EAN: 8 436045 02565 4
65409	Yellow	EAN: 8 436045 02593 7



## Polypropylene Hospital Gowns

Polypropylene (PP) 20 gr gown, round neck, long sleeves and elastic or cotton cuffs. Measures 115x127 cm. Packaged 10 in bags of 10 units. 1 box contains 100 gowns

Ref	Color	Barcode
65450	Elastic cuff	EAN: 8 436045 02550 0
65451	Cotton cuff	EAN: 8 436045 02551 7



## Polyethylene Apron

Polypropylene (PP) gown 25gr 5 velcro closure, shirt collar  
Measures 112x138 cm. Individually packed.  
1 box contains 50 gowns

Ref	Color	Barcode
63301	White	EAN: 8 436045 02527 2
63301B	Blue	EAN: 8 436045 02526 5
63301V	Green	EAN: 8 436045 02540 1
63301R	Red	EAN: 8 436045 02560 9
63301Y	Yellow	EAN: 8 436045 02426 8



## Polyethylene (PE) shoe covers



Smooth Polyethylene (PE) cover with adjustable elastics at the ankle. Measures 15.5x41 cm, Packed 10 bags of 100 units. Total 1,000 cover / box

Ref	Color	Barcode
68305	White	EAN: 8 436045 02571 5
68306	Blue	EAN: 8 436045 02554 8
68307	Green	EAN: 8 436045 02555 5
68308	Red	EAN: 8 436045 02572 2
68309	Yellow	EAN: 8 436045 02596 8



## Polyethylene boot covers



Polyethylene (LDPE) Boot Covers, great resistance and elastic adjustment in the upper area. Measures 40x50cm. Packed in 5 bags of 100 units. Total 500 shims / box

Ref	Color	Barcode
68700	White	EAN: 8 436045 02512 8
68700B	Blue	EAN: 8 436045 02553 1



## Wraparound Gowns

Sterile and non sterile



## Leg "O" Drape

Sterile and non sterile



## Leg "U" Drape

Sterile and non sterile



## Cesarean Drape

Sterile and non sterile



## Normal Delivery Drape

Sterile and non sterile



## Laparoscopy Drape

Sterile and non sterile



## Eye Drape

Style Guide



## Angio Drapes

Style Guide



## PCNL Drape

Style Guide



# Lab Coats

Style Guide

- Full length with knit collar and cuff
- Convenient hang tab and size tag sewn into back of coat
- White
- Not made with natural rubber latex



# COVID-19 Antigen Rapid Test

## Style Guide



### Normativity: CE/FDA Certificate

Vitro diagnostic  
Specimens obtained early during symptom onset will contain the highest viral titers; specimens obtained after five days of symptoms are more likely to produce negative results when compared to an RT-PCR assay

#### Clinical Performance

Positive Percent Agreement (PPA)=84.38% (27/32), (95%CI: 68.25%~93.14%)

Negative Percent Agreement (NPA)=100% (130/130), (95% CI: 97.13%~100%)

Positive results indicate the presence of viral antigens

- Positive results do not rule out bacterial infection or co-infection with other viruses
- The agent detected may not be the define cause of disease
- Negative results do not rule out SARS-CoV-2 infection and should not be used as the sole basis for treatment or patient management decisions
- Based on the current epidemiological investigation, the incubation period is 1 to 14 days, mostly 3 to 7 days.
- Is an immunoassay based on the principle of the double antibody-sandwich technique

EC REP Authorized representative in the Europe Community

### Materials Provided


- Test Cassette
- Sterilized Swab
- Extraction Reagent
- Package Insert
- Extraction Tube
- Dropper Tip
- Work Station

# COVID-19 Antibody Rapid Test

## Style Guide



### Normativity: CE/FDA Certificate



### Origin

China

### Materials Provided

- Test Cassette
- Buffer
- Package Insert

### Accuracy

Summary data of COVID-19 IgG/IgM Rapid Test as below:  
Regarding the IgM test, the result comparison to RT-PCR.  
COVID-19 IgM:

COVID-19 IgM	RT-PCR		Total
	Positive	Negative	
CLUNGENE®	Positive	67	68
	Negative	10	99
Total	77	90	167

A statistical comparison was made between the results yielding a sensitivity of 87.01%, a specificity of 98.89% and an accuracy of 93.41%

The COVID-19 IgG/IgM Rapid test cassette is a lateral flow chromatographic immunoassay for the qualitative detection of antibodies (IgG and IgM) to Novel corona virus in human Whole Blood/Serum/Plasma. It provides an aid in the diagnosis of infection with Novel coronavirus

EC REP Authorized representative in the Europe Community

# PCR Molecular lab TEST COVID - 19

## Style Guide



Normativity: **CE/FDA Certificate**

### Description

- Qualitative In-Vitro Diagnostic from Germany
- One step real time reverse transcription polymerase chain
- Use by trained clinical laboratory staff
- CE-IVD & validated by CNR of the Pasteur Institute
- Limit of detection: 100 copies/ml
- One step. 60 minutes reaction
- Multiplex SARS-CoV-2 N1 and N2 CDC Design

### Origin

France

### Include

- Real Time PCR multiplex assay, two primer and probe sets.
- One probe set to detect the human Rnase P in a clinic sample.
- Positive controls containing targets specific to the SARS-CoV-2 genomic regions covered by the assay

# Extraction KIT & Syringes

## Anexo II



Normativity: **CE / FDA Certificate**

### Physical Info

- Material: Glass/Nasopharyngeal swab
- Waterproof
- Measurement Range: °C
- Other Characteristics: Silver metallic liquid

### Origin

India  
Pakistan

### Packaging

1 box contains 12 pieces

# Medicine

## Anexo III

Chemotherapy  
 Antibiotics  
 Analgesics  
 Anesthesia  
 Ivermectin tablets 12mg Covid-19  
 Hydroxychloroquine sulfate

Flu Vaccine



# Medical Instruments

## Surgical and Dental

## Anexo IV



Origin

India  
 Pakistan



# Infrared Thermometer

## Style Guide



Normativity: **CE/FDA Certificate**

### Physical Info

- Dimensions: 100\*46\*160mm
- Precision: 0.1°C
- Weight: 125 gr (Excluding Batteries)
- Output Voltage: DC3V
- Battery Used: 2 Pcs AAA Batteries
- Temperature Tolerance: +/-0.3°C
- Measurement Distance: 2 - 15cm
- Working Ambient Humidity: <= 80% RH
- Working Temperature: 10°C - 40°C
- Storage Temperature: -25°C - 55°C

### Origin


China

### Packaging

1 box contains 100 pieces

# Mercury Thermometer

## Style Guide



### Physical Info

- Material: Glass
- Waterproof
- Size: 123mm
- Measurement Range: °C
- Other Characteristics: Silver Metallic Liquid

### Origin

China  
Vietnam

### Packaging

1 box contains 12 pieces

# AGVA Ventilator



Parameters	Description
PC-CMV/PC-SIMV/PSV/ VC-SIMV/VC-CMV/PRVC/ACV/CPAP/BPAP	
Model	AV-AD Covid
Battery	60 watt-hour Lithium Battery (4 hours backup)
Peak Flow Rate	240l/min
PEEP	0 cm H2O to 30 cm H2O (increment of 1 cm H2O)
Trigger Flow Sensitivity	1 Liter per minute to 20l/min
Peak Pressure	10% of the full scale between (10l/min - 80l/min)
Peak Respiratory Rate	60 breaths per minute
Minimum Inspiratory Time	0.3 Seconds
Tidal Volume	50ml to 2000ml (increments of 1ml)
Leak Volume Compensation	Yes
Trigger Compensation	Yes
Inspiratory and Expiratory Hold	Yes
FiO2 Capability	Yes
Power Disconnected	Power supply unplugged
Patient Disconnected	PIP < Desired Pressure X 0.6
High Inspiratory Pressure	PIP > Support Pressure + 3
High Peep	PEEP>Set PEEP +2 or 6 consecutive cycles
High Respiratory Rate	RR>70
Read/Write Error	Settings saved in memory could not be read
Ventilator Temperature Error	The core temp of ventilator CPU greater than 85°C
System Failure	Vital components
Low Tidal Volume	VTI < Set VT * 0.75 for 6 consecutive cycles

**Include**

1 Unit of AgVa Advance Covid Ventilator	1 Warranty Card
1 AgVa Stand	220 volt power Cable
1 Set of Tubing	12 Volt Power Cable
1 User Manual	Stand Attachment

**Exclusivity Distributor Hebany**

**Origin**

India



# Gel 80° Antibacterial

## Style Guide



### Packaging

1 carton contains 24 pieces (500ml)



### Packaging

1 carton contains 24 pieces (1l)

### Physical Info

PH: 7.0 +/-0.50  
Density: 0.90 +/-0.05  
Soluble in water and in alcohol  
Classified as "flammable"  
Can't be send by airfreight

### Ingredients

Ethyl Alcohol 80%  
Distilled Water - 35-45%  
Carbomer 940 -0.20-0.30%  
Glycerin, USP -0.75-1 %  
Triethanolamine -0.15-0.20%

### Origin

United Arab Emirates

# Gel 80° Antibacterial

## Style Guide



### Packaging

1 carton contains 12 pieces (1l)



### Packaging

1 carton contains 4 pieces (5l)

### Physical Info

PH: 7.0 +/-0.50  
Density: 0.90 +/-0.05  
Soluble in water and in alcohol  
Classified as "flammable"  
Can't be send by airfreight

### Ingredients

Ethyl Alcohol 80%  
Distilled Water - 35-45%  
Carbomer 940 -0.20-0.30%  
Glycerin, USP -0.75-1 %  
Triethanolamine -0.15-0.20%

### Origin

United Arab Emirates

# Gel Sanitizer Bottle 30ml 80°



Personalized

## Style Guide



### Physical Info

PH: 7.0 +/-0.50  
 Density: 0.90 +/-0.05  
 Soluble in water and in alcohol  
 Classified as " Flammable"  
 Can't be send by airfreight.

### Ingredients

Ethyl Alcohol 80%  
 Distilled Water - 35-45%  
 Carbomer 940 -0.20-0.30%  
 Glycerin, USP -0.75-1 %  
 Triethanolamine -0.15-0.20%

### Origin

United Arab Emirates

### Packaging

1 carton contains 192 pieces

# Gel Sachet Sanitizer 30ml 80°

Personalized

## Style Guide



### Physical Info

PH: 7.0 +/-0.50  
 Density: 0.90 +/-0.05  
 Soluble in Water and in Alcohol  
 Classified as " Flammable"  
 Can't be send by airfreight.

### Ingredients

Ethyl Alcohol 80%  
 Distilled Water - 35-45%  
 Carbomer 940 -0.20-0.30%  
 Glycerin, USP -0.75-1 %  
 Triethanolamine -0.15-0.20%

### Origin

United Arab Emirates

### Packaging

1 carton contains 1 million pieces

# Foaming Sanitizer

## Style Guide



Normativity: **According to (EC) No. 1272/2008**

### Characteristics

Spray hand cleaner foam

Ultralight foam

Contains Ethanol, Glycerin and Aloe Vera

Ethanol < 65%

Isobutene < 10%

Extinguishing Media: Water spray, dry medical powder

300 applications approx

Skin protect

Neutral PH

Not dangerous for the environment

Conditions for storage: Protect from sunlight

Isobutene < 10%

### Origin

Spain

### Customizable Product

More than 25.000 units per Order

# Isopropyl Alcohol 96%

## Style Guide



### Packaging

1 carton contains 12 pieces (1l)

### Physical Info

Extremely Flammable Liquid and Vapor.

Do not take internally.

Use with adequate ventilation.

Keep Closed.

Keep out of reach of children.

### Origin

United Arab Emirates



### Packaging

1 carton contains 4 pieces (5l)

Avoid contact with eyes.

Professional use only.

In case of inhaled, move patient to fresh air.

# Protection Goggles

## Style Guide



Normativity: **EN 166:2001 / ANZI Z87-1:2010 / CE/FDA Certificate**

### Physical info

- Frameless wrap around polycarbonate safety eye wear
- Lightweight, flexible, stylish and sporty looking safety
- Universal nose bridge
- Scratch-Resistant and anti-fog coating lens
- Lenses are optical Class-1
- Impact resistant to Level F
- 99.9% UV Protection
- CE Marked
- Available on Transparent and black color
- Storage Temperature: -25°C - 55°C

### Origin

- Spain
- China

### Packaging

- 1 box contains 100 pieces



# Antibacterial Professional Shoes

## Style Guide



Normativity: **CE/FDA Certificate**

### Technical specification

- Ventilation holes
- 100% latex free EVA product
- Without laces
- SRA non-slip sole (EN ISO 20347)
- Pronation: Neutral footprint
- Heel type: Neutral (3 cm)
- Liquid resistance: waterproof
- UV sterilizable
- Resistant to dry heat up to 50°C
- Easy cleaning

### Origin

- Spain
- Vietnam
- China

### Packaging

- 1 box contains 1 pair

# Disposable Mortuary

## Physical info

Material: pp laminated PP + PE, PEVA, PVC, plastic

Colors: Available in different colors.

Size: 230\*90 cm

Weight: 1.2kg

Thick waterproof and anti-drip fabric

3 tie wraps or with no , 6 or 4 handles and clear label bag

Center straight zipper

Adults size

Environmentally friendly material without smell

Easy handling and maneuverability

## Origin

China

India

## Packaging

1 carton contains 20 pieces

Normativity: **CE Certificate**



# Disposable Mortuary

## Style Guide



# Customized Uniform

## Style Guide



### Speciation's

Clothing for the hospital, food, health, industrial sector

Embroidery, serigraphs, labor footwear

Quote on request



# Customized Uniform





# Aura Air



### Outstanding features

- The lightest on the market
- Easy wall installation
- Avant-garde design
- Measure the air quality in real time
- Location that prevents damage and theft
- 2 years warranty

### Technical specification

- Voltage: 110-240 V
- Connectivity: Wifi
- Dimensions: 37.5 x 37.5 x 15 (cm)
- Weight: 5.5 Kg
- Average consumption: 24W
- Recommended Room: 55m<sup>2</sup>
- Installation: 3 screws (included)

### Origin

Israel



Certificado por:



Instituto Nacional de Técnica Aeroespacial

# Aura Air

The combination of 4 integrated technologies that filters air quality 99.98%.

### PRE-FILTER

Captures large particles of dust, pollen, insects, animal hair and tmore.

### RAY FILTER

Patented filter, includes 3 components:

- A) HEPA filter: Filtering efficiency of 99.98% of particles
- B) Active Carbon Filter: Absorbs odors, toxins and other gaseous pollutants
- C) Copper Fibers: Attacks bacteria, viruses and fungi, inactivating the virus and preventing its reproduction

### UV-C LED LIGHT

Inactivates microbes, viruses and bacteria through its short wave ultraviolet light.

### ION GENERATOR \*

It emits millions of ions that are distributed throughout the environment and that neutralize bacteria, viruses, bad odors and humidity in air and surfaces, thus preventing the spread of pathogens in heated areas.

